

## Doing the Twist: Diagonal Meshes are Isomorphic to Twisted Toroidal Meshes

Barak A. Pearlmutter

**Abstract**—We show that a  $k \times n$  diagonal mesh is isomorphic to a  $\frac{n+k}{2} \times \frac{n+k}{2} - \frac{n-k}{2} \times \frac{n-k}{2}$  twisted toroidal mesh, *i.e.* a network similar to a standard  $\frac{n+k}{2} \times \frac{n+k}{2}$  toroidal mesh, but with opposite handed twists of  $\frac{n-k}{2}$  in the two directions, which results in a loss of  $(\frac{n-k}{2})^2$  nodes.

**Index Terms**—interconnection networks, grid networks, mesh-connected topologies, diagonal mesh, toroidal mesh.



TANG and Padubidri [1] analyze the diagonal mesh suggested by Arden, finding non-square diagonal meshes superior to the usual toroidal mesh in a number of respects. In figure 1a, the  $5 \times 5$  diagonal mesh from their first figure (which is square, and thus not covered by their claims) is drawn. As shown by figure 1b, this network is isomorphic<sup>1</sup> to a standard  $5 \times 5$  toroidal mesh. A non-square diagonal mesh is not in general isomorphic to a standard toroidal mesh, but instead to a *twisted* toroidal mesh, a class of network pictured in figure 2.

As proven diagrammatically in figure 3, any  $k \times n$  diagonal mesh ( $n$  and  $k$  are necessarily odd, and without loss of generality  $k \leq n$ ) is isomorphic to a  $\frac{n+k}{2} \times \frac{n+k}{2} - \frac{n-k}{2} \times \frac{n-k}{2}$  twisted toroidal mesh. This twisted toroidal mesh is like a standard  $\frac{n+k}{2} \times \frac{n+k}{2}$  toroidal mesh, except that the edges are joined with twists of opposite handedness of  $\frac{n-k}{2}$  in the two directions, and there is a consequent loss of an  $\frac{n-k}{2} \times \frac{n-k}{2}$  corner, as shown in figure 2. A convenient notation for a  $k \times n$  toroidal mesh with twists of  $a$  and  $b$  in the two directions is  $k \times n \pm a \times b$ , with  $+$  if the twists have the same handedness and  $-$  if they have opposite handedness. This notation serves a dual purpose, as such networks have  $kn \pm ab$  nodes.

This isomorphism simplifies the analysis of diagonal meshes. For instance, for a large network, holding the number of nodes in a  $k \times n \pm a \times b$  twisted toroidal mesh fixed while allowing  $k$ ,  $n$ ,  $a$ , and  $b$  to vary, it is elemen-

<sup>1</sup>Isomorphic in the sense that there exists a bijective mapping of nodes to nodes, edges to edges, and directions to directions that preserves all mathematical properties.

• The author can be reached at Dept of Cognitive Science, UCSD Mail Stop 0515, 9500 Gilman Drive, La Jolla, CA 92093-0515. E-mail: barak.pearlmutter@alumni.cs.cmu.edu.

Manuscript received Sept. 10, 1994; revised Jan. 2, 1995. For information on obtaining reprints of this article, please send e-mail to: transcom@computer.org, and reference IEEECS Log Number C95168.

Personal use of this material is permitted. However, permission to reprint/republish this material for advertising or promotional purposes or for creating new collective works for resale or redistribution to servers or lists, or to reuse any copyrighted component of this work in other works must be obtained from the IEEE.




Fig. 1. (a)  $5 \times 5$  diagonal mesh. The edge behavior is shown by ghost units and corresponding regions. (b)  $5 \times 5$  toroidal mesh. As demonstrated by the node labels, these two networks are isomorphic.




Fig. 2. Removing an  $a \times b$  rectangular area from the corner of a  $k \times n$  rectangular mesh before joining the edges to form a torus allows opposite handed twists of  $a$  and  $b$  nodes to be made in the two directions, resulting in an  $k \times n - a \times b$  twisted toroidal mesh, which has  $kn - ab$  nodes. Edge identifications are shown on the left using shaded regions, while the process of rolling the sheet up is shown on the right.

tary to see that the bisection width and diameter reach extremes at the discontinuities of the domain, namely configurations of the form  $n \times n \pm \frac{n}{2} \times \frac{n}{2}$ . The extreme which optimizes performance is  $n \times n - \frac{n}{2} \times \frac{n}{2}$ , and is isomorphic to a  $k \times 3k$  diagonal mesh, and therefore to a  $2k \times 2k - k \times k = k \times 3k - 0 \times 2k = k \times 3k + 0 \times k$  twisted toroidal mesh.

We call a network *singularly transversible* when, by moving repeatedly in one direction, all nodes will be visited. This property can be useful for testing, power distribution, diagnosis, and initialization. A  $k \times n \pm a \times b$  twisted toroidal mesh is singularly transversible exactly when  $\gcd(k, a) = \gcd(n, b) = 1$ . This implies that a  $k \times n$  diagonal mesh is singularly transversible when  $n$  and  $k$  are relatively prime.

Consider a  $k \times n - a \times b$  twisted toroidal mesh as an Abelian group. This group can be generated by the two elements  $N$  and  $E$ . Two identities suffice to characterize its properties:  $E^n = N^a$  and  $N^k = E^b$  and it is there-




Fig. 3. This diagram sketches a simple proof that a  $k \times n$  diagonal mesh network is isomorphic to a  $\frac{n+k}{2} \times \frac{n+k}{2} - \frac{n-k}{2} \times \frac{n-k}{2}$  twisted toroidal mesh.




Fig. 4. Hex-mesh regular hexagonal arrays can be rolled into twisted toruses, as in this 19-element E3 network [2].

fore isomorphic to the quotient group  $Z^2/A$  where  $A$  is the subgroup of  $Z^2$  generated by  $(n, a)$  and  $(k, b)$ . We would like to find a canonical (up to rotation) representation for this twisted toroidal mesh. Such a representation is  $k' \times n' - 0 \times b'$  where

$$k' = \gcd(k, a) \quad n' = \frac{kn - ab}{k'}$$

and to preserve the group identities, it is necessary that  $b' \frac{k}{k'} = b \pmod{n'}$  and  $b' \frac{a}{k'} = n \pmod{n'}$ . Using the Chinese remainder theorem we can find integers  $x$  and  $y$  such that  $x \frac{k}{k'} + y \frac{a}{k'} = 1$ , so

$$b' = xb + yn \pmod{n'}$$

This gives a simple algorithm for testing twisted toroidal mesh isomorphism.

A twisted toroidal topology was used as the routing network of the FAIM-1 parallel computer [2]. Figure 4 shows the 19-element E3 hex-mesh toroidal network they built. If all the links in one of the three directions are removed, what remains is a  $5 \times 5 - 2 \times 3$  twisted toroidal mesh.

#### REFERENCES

- [1] K. Wendy Tang and Sanjay A. Padubidri. Diagonal and toroidal mesh networks. *IEEE Transactions on Computers*, 43(7):815-826, July 1994.
- [2] A. Davis, J. Anderson, W. S. Coates, R. W. Hon, I. N. Robinson, S. V. Robison, and K. S. Stevens. The architecture of FAIM-1. *IEEE Computer*, 20(1):55-65, January 1987.